Author Index

Adams, R. D.	Vibrational measurement of the specific damping capacity of 15-5 ph stainless steel	49–53
Allgeier, T.	Vibrational measurement of the specific damping capacity of 15-5 ph stainless steel	49–53
Allwood, J. M.	Fast modelling of roll stack behaviour for control applications	373–386
Al-Mousawi, M. M.	The use of the split Hopkinson pressure bar techniques in high strain rate materials testing	273–292
Ashforth-Frost, S.	Heat transfer from a flat plate to a turbulent axisymmetric impinging jet	167–172
Atanov, G. A.	The optimal control problem of profiling the hydro-cannon nozzle to obtain the maximum outlet speed	541–547
Attou, A.	Integral formulation of balance equations for two-phase flow through a sudden enlargement. Part 1: basic approach	387–397
Attou, A.	Integral formulation of balance equations for two-phase flow through a sudden enlargement. Part 2: a new interlocked volumes semi-empirical model	399–408
Bahai, H.	Three-dimensional elastoplastic finite element and elastohydrodynamic analyses of journal bearings	143–152
Baker, G.	Implications of chaos theory for engineering science	349–363
Bakhtar, F.	On the performance of a cascade of turbine rotor tip section blading in nucleating steam. Part 3: theoretical treatment	195–210
Bakhtar, F.	On the performance of a cascade of turbine rotor tip section blading in wet steam. Part 1: generation of wet steam of prescribed droplet sizes	519–529
Bakhtar, F.	On the performance of a cascade of turbine rotor tip section blading in wet steam. Part 2: surface pressure distributions	531–540
Bakhtar, F.	On the performance of a cascade of turbine rotor tip section blading in wet steam. Part 3: wake traverse	639–648
Ball, S. J.	Heat transfer from a flat plate to a turbulent axisymmetric impinging jet	167–172
Behera, A. K.	Dynamic deflection of a cracked beam with moving mass	77–87
Bennett, P. N.	Localization investigation of stationary random wave transmission along damped ordered substructural chains	217–228
Bolle, L.	Integral formulation of balance equations for two-phase flow through a sudden enlargement. Part 1: basic approach	387–397
Bolle, L.	Integral formulation of balance equations for two-phase flow through a sudden enlargement. Part 2: a new interlocked volumes semi-empirical model	399–408
Boucher, R. F.	Junction characteristics of energy wave methods	25–35
Brennan, M. J.	Vibration control using a tunable vibration neutralizer	91–108
Bryant, G. F.	Fast modelling of roll stack behaviour for control applications	373–386
Buckley, J. R.	On the performance of a cascade of turbine rotor tip section blading in wet steam. Part 1: generation of wet steam of prescribed droplet sizes	519–529
Cartmell, M. P.	Geometry and kinematics of multicable spreader lifting gear	185–194
Cebon, D.	Effects of 'road friendly' suspensions on long-term flexible pavement performance	411–424
Chang, C.-F.	Synthesis of spherical four-bar path generator satisfying the prescribed tangents at two cusps	211–216
Chen, T.	Junction characteristics of energy wave methods	25–35
Chew, G. G.	On the presence of bending stresses in inflated thin-walled structures	341–348
Chiou, S.-T.	On the balancers of any frequency term of the shaking moment of spatial mechanisms	37–48
Chiou, S.-T.	On the shaft locations of the contra-rotating counterweights for spatial mechanisms	567–578
Chiou, S.-T.	Partial cancellation of shaking force harmonics by cam modification	253–263
Chow, K. C.	Effect of induced vortices on liquid outflow from vessels	135–141
Chung, J.	Optimal design of rib structures using the topology optimization technique	425–437
Collop, A. C.	Effects of 'road friendly' suspensions on long-term flexible pavement performance	411–424
Davies, T. H.	Partial cancellation of shaking force harmonics by cam modification	253–263
Dean, T. A.	Comparative bending fatigue strength of precision forged spur gears	293–299
Deans, W. F.	The use of the split Hopkinson pressure bar techniques in high strain rate materials testing	273–292
De Bona, F.	A generalized elastica-type approach to the analysis of large displacements of spring-strips	509–517
Díaz, R.	Preliminary design of the kinematic Stirling engine using dynamic similarity and quasi-static simulation	229–238
Dowson, D.	A general analytical solution to the problem of microelastohydrodynamic lubrication of low elastic modulus compliant bearing surfaces under line contact conditions	265–272
Dowson, D.	Analysis of isothermal elastohydrodynamic point contacts lubricated by Newtonian fluids using multigrid methods	493–508

© IMechE 1997

Author Index

Adams, R. D.	Vibrational measurement of the specific damping capacity of 15-5 ph stainless steel	49–53
Allgeier, T.	Vibrational measurement of the specific damping capacity of 15-5 ph stainless steel	49–53
Allwood, J. M.	Fast modelling of roll stack behaviour for control applications	373–386
Al-Mousawi, M. M.	The use of the split Hopkinson pressure bar techniques in high strain rate materials testing	273–292
Ashforth-Frost, S.	Heat transfer from a flat plate to a turbulent axisymmetric impinging jet	167–172
Atanov, G. A.	The optimal control problem of profiling the hydro-cannon nozzle to obtain the maximum outlet speed	541–547
Attou, A.	Integral formulation of balance equations for two-phase flow through a sudden enlargement. Part 1: basic approach	387–397
Attou, A.	Integral formulation of balance equations for two-phase flow through a sudden enlargement. Part 2: a new interlocked volumes semi-empirical model	399–408
Bahai, H.	Three-dimensional elastoplastic finite element and elastohydrodynamic analyses of journal bearings	143–152
Baker, G.	Implications of chaos theory for engineering science	349–363
Bakhtar, F.	On the performance of a cascade of turbine rotor tip section blading in nucleating steam. Part 3: theoretical treatment	195–210
Bakhtar, F.	On the performance of a cascade of turbine rotor tip section blading in wet steam. Part 1: generation of wet steam of prescribed droplet sizes	519–529
Bakhtar, F.	On the performance of a cascade of turbine rotor tip section blading in wet steam. Part 2: surface pressure distributions	531–540
Bakhtar, F.	On the performance of a cascade of turbine rotor tip section blading in wet steam. Part 3: wake traverse	639–648
Ball, S. J.	Heat transfer from a flat plate to a turbulent axisymmetric impinging jet	167–172
Behera, A. K.	Dynamic deflection of a cracked beam with moving mass	77–87
Bennett, P. N.	Localization investigation of stationary random wave transmission along damped ordered substructural chains	217–228
Bolle, L.	Integral formulation of balance equations for two-phase flow through a sudden enlargement. Part 1: basic approach	387–397
Bolle, L.	Integral formulation of balance equations for two-phase flow through a sudden enlargement. Part 2: a new interlocked volumes semi-empirical model	399–408
Boucher, R. F.	Junction characteristics of energy wave methods	25–35
Brennan, M. J.	Vibration control using a tunable vibration neutralizer	91–108
Bryant, G. F.	Fast modelling of roll stack behaviour for control applications	373–386
Buckley, J. R.	On the performance of a cascade of turbine rotor tip section blading in wet steam. Part 1: generation of wet steam of prescribed droplet sizes	519–529
Cartmell, M. P.	Geometry and kinematics of multicable spreader lifting gear	185–194
Cebon, D.	Effects of 'road friendly' suspensions on long-term flexible pavement performance	411–424
Chang, C.-F.	Synthesis of spherical four-bar path generator satisfying the prescribed tangents at two cusps	211–216
Chen, T.	Junction characteristics of energy wave methods	25–35
Chew, G. G.	On the presence of bending stresses in inflated thin-walled structures	341–348
Chiou, S.-T.	On the balancers of any frequency term of the shaking moment of spatial mechanisms	37–48
Chiou, S.-T.	On the shaft locations of the contra-rotating counterweights for spatial mechanisms	567–578
Chiou, S.-T.	Partial cancellation of shaking force harmonics by cam modification	253–263
Chow, K. C.	Effect of induced vortices on liquid outflow from vessels	135–141
Chung, J.	Optimal design of rib structures using the topology optimization technique	425–437
Collop, A. C.	Effects of 'road friendly' suspensions on long-term flexible pavement performance	411–424
Davies, T. H.	Partial cancellation of shaking force harmonics by cam modification	253–263
Dean, T. A.	Comparative bending fatigue strength of precision forged spur gears	293–299
Deans, W. F.	The use of the split Hopkinson pressure bar techniques in high strain rate materials testing	273–292
De Bona, F.	A generalized elastica-type approach to the analysis of large displacements of spring-strips	509–517
Díaz, R.	Preliminary design of the kinematic Stirling engine using dynamic similarity and quasi-static simulation	229–238
Dowson, D.	A general analytical solution to the problem of microelastohydrodynamic lubrication of low elastic modulus compliant bearing surfaces under line contact conditions	265–272
Dowson, D.	Analysis of isothermal elastohydrodynamic point contacts lubricated by Newtonian fluids using multigrid methods	493–508

© IMechE 1997

Dragoni, E.	Effect of thread pitch on the fatigue strength of steel bolts	591–600
Dubois, A.	Surface behaviour testing of phosphate–stearate coated steel parts	109–117
Earles, S. W. E.	Redundancy utilization for obstacle avoidance of planar robot manipulators	463–475
Earles, S. W. E.	Triangulation-based path planning for a mobile robot	365–371
Ehret, P.	Analysis of isothermal elastohydrodynamic point contacts lubricated by Newtonian fluids using multigrid methods	493–508
Evans, W. T.	Vibrational measurement of the specific damping capacity of 15-5 ph stainless steel	49–53
Eyercioglu, O.	Comparative bending fatigue strength of precision forged spur gears	293–299
Eynon, P. A.	The effect of low-solidity vaned diffusers on the performance of a turbocharger compressor	325–339
Fano, J.	Preliminary design of the kinematic Stirling engine using dynamic similarity and quasi-static simulation	229–238
Fogarasy, A. A.	A unified tensor approach to the analysis of mechanical systems	313–322
Ge, Z.-M.	Dynamic analysis of a two-gyro Anschütz compass	239–250
Gill, K. F.	Dynamic modelling of planar flexible manipulators: computational and algorithmic efficiency	119–133
Gong, D.	Precision inspection of deviations of machined surfaces	579–589
González, C.	Preliminary design of the kinematic Stirling engine using dynamic similarity and quasi-static simulation	229–238
González, M. A.	Preliminary design of the kinematic Stirling engine using dynamic similarity and quasi-static simulation	229–238
Grant, I.	Particle image velocimetry: a review	55–76
Hills, D. A.	Stress state and modelling of mode I cracks in layered materials suffering normal or near-normal contact loading	301–311
Howard, D.	Multilegged walker design—the joint torque versus workspace compromise	477–488
Howard, I. C.	On the presence of bending stresses in inflated thin-walled structures	341–348
Hwang, W.-M.	Synthesis of spherical four-bar path generator satisfying the prescribed tangents at two cusps	211–216
Jadayel, O. C.	On the performance of a cascade of turbine rotor tip section blading in wet steam. Part 2: surface pressure distributions	531–540
Jadayel, O. C.	On the performance of a cascade of turbine rotor tip section blading in wet steam. Part 3: wake traverses	639–648
Jaffar, M. J.	A general solution to the axisymmetric frictional contact problem of a thin bonded elastic layer	549–557
Jambunathan, K.	Heat transfer from a flat plate to a turbulent axisymmetric impinging jet	167–172
Jen, C.-W.	Dynamic analysis of a two-gyro Anschütz compass	239–250
Jin, Z. M.	A general analytical solution to the problem of microelastohydrodynamic lubrication of low elastic modulus compliant bearing surfaces under the line contact conditions	265–272
Kelly, P. A.	Stress state and modelling of mode I cracks in layered materials suffering normal or near-normal contact loading	301–311
Kenney, L. P. J.	A software environment for conceptual machine design	617–625
Kerr, D. R.	A software environment for conceptual mechanism design	617–625
Klein Breteler, A. J.	An approach to mechanism topology identification with consideration of design processes progression	175–183
Ko, W.-S.	Triangulation-based path planning for a mobile robot	365–371
Koltsakis, G. C.	Transient heat transfer modelling in automotive exhaust systems	1–15
Konstantinidis, P. A.	Transient heat transfer modelling in automotive exhaust systems	1–15
Ku, F.-N.	Dynamic analysis of a two-gyro Anschütz compass	239–250
Kubie, J.	Effect of induced vortices on liquid outflow from vessels	135–141
Lee, C.-W.	Errors of the dynamically tuned strapdown gyroscope to constant and harmonic rate inputs	627–637
Lee, K.	Optimal design of rib structures using the topology optimization technique	425–437
Lee, S.-K.	Errors of the dynamically tuned strapdown gyroscope to constant and harmonic rate inputs	627–637
Lin, J.	Localization investigation of stationary random wave transmission along damped ordered substructural chains	217–228
Lu, D.-M.	Synthesis of spherical four-bar path generator satisfying the prescribed tangents at two cusps	211–216
McCormick, A. C.	Classification of the rotating machine condition using artificial neural networks	439–450
McRobie, F. A.	Implications of chaos theory for engineering science	349–363
Mahpeykar, M. R.	On the performance of a cascade of turbine rotor tip section blading in nuclearing steam. Part 3: theoretical treatment	195–210
Mashmoushy, H.	On the performance of a cascade of turbine rotor tip section blading in wet steam. Part 1: generation of wet steam of prescribed droplet sizes	519–529
Mashmoushy, H.	On the performance of a cascade of turbine rotor tip section blading in wet steam. Part 2: surface pressure distributions	531–540

© IMechE 1997

Mashmoushy, H.	On the performance of a cascade of turbine rotor tip section blading in wet steam. Part 3: wake traverses	639–648
Miao, S.	Multilegged walker design—the joint torque versus workspace compromise	477–488
Morrish, L.	Geometry and kinematics of multicable spreader lifting gear	185–194
Mullineux, G.	A software environment for conceptual mechanism design	617–625
Nandi, A. K.	Classification of the rotating machine condition using artificial neural networks	439–450
Oancea, N.	Geometrical design of cutting tools with surfaces of revolution for helical surfaces	559–566
Oancea, V. G.	Geometrical design of cutting tools with surfaces of revolution for helical surfaces	559–566
O'Connor, J. J.	Stress state and modelling of mode I cracks in layered materials suffering normal or near-normal contact loading	301–311
Okumura, R.	Coagulation of particles in oil by an a.c. electric field (fundamental experiment)	451–461
Organ, A. J.	Solution of the conjugate heat exchange problem	17–24
Oudin, J.	Surface behaviour testing of phosphate–stearate coated steel parts	109–117
Parhi, D. R.	Dynamic deflection of a cracked beam with moving mass	77–87
Park, H. S.	Application of linear biphasic theory to finite element analysis of head impulse loading	153–165
Patterson, E. A.	On the presence of bending stresses in inflated thin-walled structures	341–348
Pearson, R. J.	The simulation of gas dynamics in engine manifolds using non-linear symmetric difference schemes	601–616
Prieto, J. I.	Preliminary design of the kinematic Stirling engine using dynamic similarity and quasi-static simulation	229–238
Reid, S. R.	The use of the split Hopkinson pressure bar techniques in high strain rate materials testing	273–292
Rentoul, A. H.	A software environment for conceptual machine design	617–625
Rigaut, J. M.	Surface behaviour testing of phosphate–stearate coated steel parts	109–117
Sanger, D. J.	Multilegged walker design—the joint torque versus workspace compromise	477–488
Seneviratne, L. D.	Redundancy utilization for obstacle avoidance of planar robot manipulators	463–475
Seneviratne, L. D.	Triangulation-based path planning for a mobile robot	365–371
Sezgin, U.	Redundancy utilization for obstacle avoidance of planar robot manipulators	463–475
Shyu, Y.-J.	Dynamic modelling of planar flexible manipulators: computational and algorithmic efficiency	119–133
Smith, M. R.	A unified tensor approach to the analysis of mechanical systems	313–322
Stamatelos, A. M.	Transient heat transfer modelling in automotive exhaust systems	1–15
Taylor, A. J.	Geometry and kinematics of multicable spreader lifting gear	185–194
Taylor, C. M.	Analysis of isothermal elastohydrodynamic point contacts lubricated by Newtonian fluids using multigrid methods	493–508
Thompson, J. M. T.	Implications of chaos theory for engineering science	349–363
Twyman, B. R.	A software environment for conceptual machine design	617–625
Tzou, J.-C.	On the balancers of any frequency term of the shaking moment of spatial mechanisms	37–48
Tzou, J.-C.	On the shaft locations of the contra-rotating counterweights for spatial mechanisms	567–578
Walton, D.	Comparative bending fatigue strength of precision forged spur gears	293–299
Wang, D.	Analysis of isothermal elastohydrodynamic point contacts lubricated by Newtonian fluids using multigrid methods	493–508
Whitfield, A.	The effect of low-solidity vaned diffusers on the performance of a turbocharger compressor	325–339
Whitney, C. F.	Heat transfer from a flat plate to a turbulent axisymmetric impinging jet	167–172
Williams, F. W.	Localization investigation of stationary random wave transmission along damped ordered substructural chains	217–228
Winterbone, D. E.	The simulation of gas dynamics in engine manifolds using non-linear symmetry difference schemes	601–616
Xu, H.	Three-dimensional elastoplastic finite element and elastohydrodynamic analyses of journal bearings	143–152
Yanada, H.	Coagulation of particles in oil by an a.c. electric field (fundamental experiment)	451–461
Yoon, Y. S.	Application of linear biphasic theory to finite element analysis of head impulse loading	153–165
Zelenika, S.	A generalized elastica-type approach to the analysis of large displacements of spring-strips	509–517
Zhang, J. J.	Precision inspection of deviations of machined surfaces	579–589
Zhang, S. J.	Multilegged walker design—the joint torque versus workspace compromise	477–488
Zhang, W. J.	An approach to mechanism topology identification with consideration of design processes progression	175–183

© IMechE 1997